

# SAFETY DATA SHEET



According to directive 1907/2006/EC, 2020/878

Page: Page 1 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product identification:**

Product name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

General use: Modelling clay

Product description: Putty-like material (part B of a two-part system).

Form of product: Two-part system. Part B contains the base material and catalyst.  
Parts A and B are intended to be mixed 50:50 by weight.

UFI code: 3JPV-GOSW-100E-Q7RS

### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses: The Apoxie® Sculpt two-piece system as designed in the quantities provided is safe for normal adult use as a modelling clay. Not intended for use by children without adult supervision.

**PRODUCT IN CURED FORM COMPLIES WITH INTERNATIONAL SAFETY STANDARD ASTM D4236**

Uses not recommended: None

### **1.3 Details of the supplier of the safety data sheet:**

Responsible distributor : ASSYST bvba / A.S.O.W. bvba  
Hellegatstraat 13a  
2590 Berlaar  
Belgium  
Tel: +32 495 50 61 14 / +32 496 83 70 27  
Website: [www.assyst.org](http://www.assyst.org) / [www.artsuppliesonweb.com](http://www.artsuppliesonweb.com)  
E-mail: [ao@assyst.org](mailto:ao@assyst.org) / [vera.opsommer@assyst.org](mailto:vera.opsommer@assyst.org)

### **1.4 Emergency phone number:**

For Belgium: Call the **Poison Control Center (070 245 245 - free)**, if not available: **02 264 96 30** (normal rate) or your doctor. In life-threatening situations, always call the European emergency number **112**.

NHS 24 Direct: For help from a GP, visit your GP surgery's website, use an online service to contact your GP, or call the surgery. **For urgent medical help**, use the NHS 111 online service, or **call 111** if you are unable to get help online. **For life-threatening emergencies, call 999** for an ambulance. There is more information about getting medical help on the NHS website.

## **SECTION 2: Hazard identification**

### **2.1 Classification of the substance or mixture:**

**Classification according to Directive (EC) No 1272/2008 and its amendments.**

According to the Globally Harmonised Standard for Classification and Labelling (GHS), this product is considered hazardous due to the possibility of skin and eye irritation.

Skin irritation, category 1B - skin sensitiser

Eye irritation, category 2

Hazardous to the aquatic environment, category 2 - chronic

**Adverse physicochemical effects and adverse effects on human health and the environment:**

No additional data available.

### **2.2 Label elements:**

**Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]:**

# SAFETY DATA SHEET

According to directive 1907/2006/EC, 2020/878

Page: Page 2 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)



## Hazard pictograms:

### Signal word:

Warning

### Indications of danger:

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage

H315 - Causes skin irritation

H411 - Toxic to aquatic life with long-lasting effects

### Safety recommendations:

#### Indications of danger:

P101 - If medical advice is required, keep the container or label handy.

P102 - Keep out of the reach of children.

P103 - Read the label before use.

#### Prevention:

P261 - Avoid inhalation of dust.

P280 - Wear protective gloves when joining parts A and B. Wear at least an N95 dust mask when sanding the cured product.

P273 - Prevent from entering the environment.

#### Answer:

P302 + 352 - After contact with skin, wash with plenty of water.

P333 + P313 - In case of skin irritation or rash, seek medical advice.

P305 + P351 + P338 - In case of contact with eyes: Rinse carefully with water for several minutes. If possible, remove existing contact lenses. Continue rinsing.

P337 + P313 - If eye irritation persists: consult a doctor.

#### Storage/disposal:

P501 - Dispose of contents/container in accordance with public waste disposal or recycling facility.

#### 2.3 Other hazards:

This substance/mixture does not contain any components that can be considered persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain any components believed to have endocrine-disrupting properties according to REACH article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at level 0.1% or higher.

#### Toxicological information:

The substance/mixture does not contain any components believed to have endocrine-disrupting properties according to REACH article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at level 0.1% or higher.

## SECTION 3: Composition and information on ingredients

### 3.2 Mixture :

Chemical name	Cas no. EC No/List Registration number	Layout (Regulation (EC) No 1272/008)	Concentration (%)
* Talc	14807-96-6 238-877-9	Acute Tox. 4 - H332; Eye Irrit. 2 - H319	28-70
* Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tallow oil fatty acids and triethylenetetramine	68082-29-1 500-191-5	Skin Irrit. 2 - H315; Eye Dam. 1 - H318; Skin Sens. 1 - H317; Aquatic chronic 2 - H411	28
* Triethylenetetraamine	112-24-3 203-950-6	Acute Tox. 3 dermal - H311; Eye Dam. 1 - H318;	2-3

# SAFETY DATA SHEET



According to directive 1907/2006/EC, 2020/878

Page: Page 3 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

		Skin Sens. 1 - H317; Aquatic chronic 3 - H412  M(Chronic)=0	
* Blend of oils	8042-47-5 232-455-8	Inhalation hazard	1,7
* Chlorite group of minerals	1318-59-8 215-285-9	No hazards classified	0.7-3.5
*** Quartz (SiO <sub>2</sub> )	14808-60-7 238-878-4	Acute Tox. 4 - H332; Eye Irrit. 2 - H319	0-<0.7

\* Trade secret

\*\*\* May occur as a trace element in one of the ingredients

## **SECTION 4: First aid measures**

### **4.1 Description of first-aid measures:**

#### **General first aid measures:**

Never give anything by mouth to an unconscious person.

If you feel unwell, consult a doctor. Show the label where possible.

#### **First-aid measures after inhalation:**

If symptoms occur, go outside and ventilate the area.

#### **First-aid measures after skin contact:**

After handling, wash hands with soap and water.

If irritation persists or other symptoms occur, consult a doctor.

#### **First-aid measures after eye contact:**

Remove the contact lens (if any).

Immediately flush eyes with plenty of clean water for at least 15 minutes.

If necessary, gently hold the eyelid open during the rinse.

If irritation persists, consult a doctor.

#### **First-aid measures after ingestion:**

No major route of exposure.

If swallowed, do not induce vomiting.

If discomfort or other symptoms persist, seek medical attention and show label and safety data sheet.

#### **Emergency room self-protection:**

None required.

### **4.2 Main acute and delayed symptoms and effects:**

#### **Symptoms/injuries:**

Under normal conditions of use, it is not expected to pose a significant hazard.

#### **Symptoms/injuries after inhalation:**

Not expected to be a primary exposure route unless sanded after curing.

Dust is not expected to be measurable, given the average size of items made with this product.

#### **Symptoms/injuries after skin contact:**

Skin contact with unreacted two-part materials is the greatest hazard.

The ingredients are known sensitizers.

Routine use without hand protection can lead to redness, irritation, dermatitis.

#### **Symptoms/injuries after eye contact:**

Not expected to be a primary route of exposure.

Sanding finished parts may release dust that is an abrasive eye hazard.

#### **Symptoms/injuries after swallowing:**

Ingestion is not considered a primary route of exposure.

If swallowed, the material can cause blockage.

After ingestion, seek medical attention if you feel unwell.

### **4.3 Indication of immediate medical attention and special treatment required:**

#### **Notes for the doctor:**

Uncured product may cause allergic reactions.

According to directive 1907/2006/EC, 2020/878

Page: Page 4 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

**Special treatment:**

No specific treatment suggested.

**SECTION 5: Fire-fighting measures**

**5.1 Extinguishing media:**

**Suitable extinguishing agents:**

Water spray or fine mist; dry chemical fire extinguishers; carbon dioxide fire extinguishers; foam; alcohol-resistant foam (ATC type).

**Unsuitable extinguishing media:**

None known.

**5.2 Special hazards arising from the substance or mixture:**

**Hazardous combustion products:**

Carbon dioxide, carbon monoxide.

**5.3 Advice for firefighters:**

In the event of a fire, wear full protective clothing and a NIOSH-approved self-contained breathing apparatus with a full facepiece that operates on pressure requirements or another positive pressure mode.

For small outdoor fires, which can be easily extinguished with a portable fire extinguisher, the use of protective equipment is usually not necessary.

**Additional information:**

Uncured B is a wet material with some organic constituents.

Not expected to support combustion.

The packaging is flammable but does not pose a major fire hazard.

**SECTION 6: Measures in case of accidental release of the substance or mixture**

**6.1 Personal precautions, protective equipment and emergency procedures:**

**For non-urgent staff:**

**Protective equipment:**

Protective gloves for accidental release of uncured material.

**Emergency measures:**

None required.

**For emergency services:**

**Personal protective equipment:**

Protective gloves when handling uncured material.

**6.2 Environmental precautions:**

Not expected; the packs are no larger than 908 grams and the material is a solid that sticks together to form a solid ball.

A land spill should be fully recoverable.

Material is expected to sink to the bottom of a water body and may or may not be salvaged as intact solid material.

**6.3 Methods and materials for containment and cleaning:**

**For containment:**

Waste material can be placed in a polythene waste bag.

**Cleaning:**

Waste material is a solid.

Scrape, shovel or collect the material by other means.

Dispose of as solid waste.

Waste is not hazardous unless it is mixed with hazardous substance(s).

The unreacted parts A and B have a putty-like consistency with limited solubility in water.

If unused product and/or finished material is spilled into a water body, it will sink to the bottom and appear as rock/rock in the water body.

The extent of packaging is not expected to generate substantial waste in a water body.

**Other information:**

According to directive 1907/2006/EC, 2020/878

Page: Page 5 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

None.

6.4 Reference to other sections:

**Additional information:**

Section 8.

## **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling of the substance or mixture

**Protective measures:**

Store at ambient temperature (20-23°C) and ambient pressure.

**Advice on safe use:**

Store in the original sealed container at ambient temperature (below 49°C) in a dry place.

Keep containers sealed.

Keep out of direct sunlight and in a dry place.

Protect the package from physical damage.

The product is freeze-thaw stable.

**Preventive fire protection measures:**

None required.

**Measures to prevent aerosol and dust formation:**

None required.

**Measures to protect the environment:**

None required.

**Advice on general hygiene measures in the workplace:**

Wear protective gloves (nitrile is an acceptable glove material in the usual thicknesses).

Wash hands thoroughly after working with the uncured product.

When sanding manually or mechanically, wear N95 respiratory protection or better to avoid exposure to inhalable dust.

7.2 Conditions for safe storage, including incompatibilities:

**Technical measures and storage conditions:**

**Packaging materials:**

Store in the original sealed container at ambient temperature (below 49°C) in a dry place.

Keep containers sealed.

Keep out of direct sunlight and in a dry place.

Protect the package from physical damage.

The product is freeze-thaw stable.

**Requirements for storage rooms and vessels:**

**Hints on storage:**

**Storage class:**

Non-flammable solid.

**Substances to avoid:**

Strong acids and bases.

Temperatures higher than 200°C.

7.3 Specific end use:

Apoxy Sculpt Part B is one part of a two-part epoxy-based system intended to be combined into a cured hard product.

Part B is the hardener.

This product, when combined with part A, forms a hard material used for making jewellery, pottery, repair material, etc. and is inert when combined.

## **SECTION 8: Exposure controls/personal protection measures**

8.1 Control parameters:

**NOTE:**

This information applies only to Part A of a two-piece system intended for combined use.

# SAFETY DATA SHEET



According to directive 1907/2006/EC, 2020/878

Page: Page 6 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

Chemical	Talc (CAS No 14807-96-6)		
Country	Limit value	Number	Comments
Austria		2.0 mg/m <sup>3</sup>	respirable aerosol
Belgium	Limit value	2.0 mg/m <sup>3</sup>	respirable aerosol; asbestos-free
Bulgaria	OEL TWA		
France	VME		
Italy, Portugal, USA, ACGIH limit	ACGIH TLV		
Germany	DFG DAK	2.0 mg/m <sup>3</sup>	respirable aerosol
Latvia	OEL TWA	4.0 mg/m <sup>3</sup>	
Spain	VLA-ED	2.0 mg/m <sup>3</sup>	
Czech Republic	Expzicni limity		
Denmark	Graensevaerdie (long-furred)		
Finland	HTP-arvo	0.5 fibres/cm <sup>3</sup>	
Hungary	AK-ertek		
Ireland	OEL TWA	10.0 mg/m <sup>3</sup>	respirable aerosol; asbestos-free
Lithuania	IRV		
Poland	NDS		
Romania	OEL TWA		
Sweden	NVG	2.0 mg/m <sup>3</sup>	respirable aerosol
Portugal	OEL TWA		

Chemical	Triethylenetetramine (CAS No 112-24-3)		
Country	Limit value	Number	Comments
Austria		2.0 mg/m <sup>3</sup>	
Belgium	Limit value	2.0 mg/m <sup>3</sup>	
Bulgaria	OEL TWA	3.0 mg/m <sup>3</sup>	
France	VME		
Italy, Portugal, USA, ACGIH limit	ACGIH TLV	2.0 mg/m <sup>3</sup>	
Germany	DFG DAK	2.0 mg/m <sup>3</sup>	
Latvia	OEL TWA		
Spain	VLA-ED	2.0 mg/m <sup>3</sup>	
Czech Republic	Expzicni limity	2.0 mg/m <sup>3</sup>	
Denmark	Graensevaerdie (long-furred)		
Finland	HTP-arvo	2.0 mg/m <sup>3</sup>	
Hungary	AK-ertek	2.0 mg/m <sup>3</sup>	
Ireland	OEL TWA	0.8 mg/m <sup>3</sup>	
Lithuania	IRV	1.0 mg/m <sup>3</sup>	
Poland	NDS	1.0 mg/m <sup>3</sup>	
Romania	OEL TWA	10.0 mg/m <sup>3</sup>	
Sweden	NVG	6.0 mg/m <sup>3</sup>	
Portugal	OEL TWA	2.0 mg/m <sup>3</sup>	

Chemical	Crystalline silica (CAS No 14808-60-7)		
Country	Limit value	Number	Comments
Austria		0.15 mg/m <sup>3</sup>	respirable aerosol
Belgium	Limit value	0.1 mg/m <sup>3</sup>	
Bulgaria	OEL TWA	0.07 mg/m <sup>3</sup>	
France	VME	0.1 mg/m <sup>3</sup>	respirable aerosol
Italy, Portugal, USA, ACGIH limit	ACGIH TLV	0.05 mg/m <sup>3</sup>	ACGIH TLV of 0.025 mg/m <sup>3</sup> is also used
Germany	DFG DAK	0.05 mg/m <sup>3</sup>	Evaluation criterion reference value
Latvia	OEL TWA		
Spain	VLA-ED	0.1 mg/m <sup>3</sup>	respirable fraction
Czech Republic	Expzicni limity	0.1 mg/m <sup>3</sup>	
Denmark	Graensevaerdie (long-furred)	0.3 mg/m <sup>3</sup>	Respirabel aerosol
Finland	HTP-arvo	0.05 mg/m <sup>3</sup>	respirable fraction
Hungary	AK-ertek	0.15 mg/m <sup>3</sup>	Respirabel aerosol
Ireland	OEL TWA	0.1 mg/m <sup>3</sup>	respirable fraction

# SAFETY DATA SHEET

According to directive 1907/2006/EC, 2020/878

Page: Page 7 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

Lithuania	IRV	0.1 mg/m <sup>3</sup>	
Poland	NDS	0.1 mg/m <sup>3</sup>	
Romania	OEL TWA	0.1 mg/m <sup>3</sup>	
Sweden	NVG	0.1 mg/m <sup>3</sup>	respirable fraction
Portugal	OEL TWA	0.025 mg/m <sup>3</sup>	

Chemical	Mixture of oils (CAS No 8042-47-5)		
Country	Limit value	Number	Comments
Austria			
Belgium	Limit value		
Bulgaria	OEL TWA		
France	VME		
Italy, Portugal, USA, ACGIH limit	ACGIH TLV	5 mg/m <sup>3</sup>	
Germany	DFG DAK	5 mg/m <sup>3</sup>	respirable fraction
Latvia	OEL TWA		
Spain	VLA-ED		
Czech Republic	Expzicni limity		
Denmark	Graensevaerdie (long-furred)		
Finland	HTP-arvo		
Hungary	AK-ertek		
Ireland	OEL TWA		
Lithuania	IRV		
Poland	NDS		
Romania	OEL TWA	5 mg/m <sup>3</sup>	
Sweden	NVG		
Portugal	OEL TWA		

## DNEL / PNEC values

Derived no-effect exposure/predicted no-effect concentration

(Derived dose without effect / predicted concentration without effect)

### Epoxy resin - CAS 68082-29-1

DNEL	Mode	Duration	Operations	Value
Industry	Dermal	Short term	Systemic	1.1 mg/kg bw/day
Industry	Inhalation	Short term	Systemic	3.9 mg/m <sup>3</sup>
Industry	Eyes	Long-term	Systemic	medium risk
Consumer	Inhalation	Long-term	Systemic	434.8 mg/m <sup>3</sup>
Consumer	Inhalation	Short term	Systemic	no
Consumer	Dermal	Long-term	Systemic	1000 mg/kg bw/day
Consumer	Oral	Long-term	Systemic	1000 kg body weight/day
Consumer	Eyes	Long-term	Systemic	medium risk

PNEC	Value
Freshwater	4.34 mg/l
Seawater	0.434 mg/l
Sediment (freshwater)	434.02 mg/kg sediment
Sediment (seawater)	43.4 mg/kg sediment
Intermittent release	None given

### Mixture of oils CAS No 8042-47-5

DNEL	Mode	Duration	Operations	Value
Industry	Inhalation		Systemic	164.56 mg/m <sup>3</sup>

### Mixture test data (Applies to combined A and B components):

Apoxie® Sculpt was tested for leachability of bisphenol A from the cured material.

Calculated dermal exposures based on leaching data were within the California Proposition 65 guideline of 3 micrograms per day for leaching and 1.13 micrograms per day for the wiping procedure.

# SAFETY DATA SHEET



According to directive 1907/2006/EC, 2020/878

Page: Page 8 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

## 8.2 Exposure control measures:

### **Appropriate engineering control equipment:**

None required.

### **Eye/face protection:**

None required.

Eye irritation will not occur unless it enters the eyes via hand contact.

### **Skin protection:**

Disposable nitrile powder-free gloves minimum 3 mm thick.

### **Respiratory protection:**

N95 dust mask when sanding cured material.

### **Thermal hazards:**

Not applicable to the material.

### **Monitoring environmental exposure:**

Store in original container, seal container after removing applicable quantities.

Do not store near heat.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties:

Vapour pressure:	Not applicable
Specific gravity:	unknown
Vapour density:	not applicable
Evaporation rate:	not applicable
Freezing point:	Freeze/thaw stable
Odour:	light
Appearance:	Grey colour
Physical state:	solid
Flammable range:	not applicable
Solubility in water:	not detectable
pH value:	neutral
Boiling point:	not applicable
Viscosity:	putty-like
Flash point:	not applicable

### 9.2 Other information

Explosives:	Not applicable
Flammable gases:	Not applicable
Flammable aerosols:	Not applicable
Oxidising gases:	Not applicable
Gases under pressure:	Not applicable
Flammable liquids:	Not applicable
Flammable solids:	Not applicable
Self-reactive substances:	Not applicable
Pyrophoric liquids:	Not usable
Pyrophoric solids:	Not applicable
Substances liable to self-heat:	Not applicable
Oxidising liquids:	Not applicable
Oxidising solids:	Not applicable
Organic peroxides:	Not applicable
Metal corrosion:	Not applicable

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity:

Part B is designed to interact with Part A.

# SAFETY DATA SHEET



According to directive 1907/2006/EC, 2020/878

Page: Page 9 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

Part B, if combined with other materials, can react with them.

The product is non-reactive after parts A and B are combined.

## 10.2 Chemical stability:

Part B is stable if kept in its original packaging and not mixed with other materials.

## 10.3 Possible hazardous reactions:

Parts A and B will not undergo hazardous reactions if kept in their packaging and not mixed with other materials.

Epoxy components are designed to react with each other.

Mixing with other materials can lead to dangerous situations, depending on what is mixed with it.

## 10.4 Conditions to avoid:

Avoid combining Part B with materials other than Part A according to the manufacturer's instructions.

Avoid contact with strong acids or bases and temperatures higher than 200°C.

## 10.5 Incompatible materials:

Strong acids, or bases, and oxidising agents.

## 10.6 Hazardous decomposition products:

Carbon dioxide, carbon monoxide, nitrogen oxides and organic compounds, depending on the nature of decomposition.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects:

No information on the mixture. Information on the ingredients is given below.

#### **Toxicity in animals:**

<b>Component</b>	<b>Acute</b>	<b>test value</b>	<b>Species</b>
Epoxy resin	LD50 oral	> 5,000 mg/kg	rat
Epoxy resin	LD50 dermal	1,110 mg/kg	rabbit
Epoxy resin	LC50 Inhalation	> 20,000 mg/kg	rabbit
Triethylenetetramine	LD50 oral	> 5,000 mg/kg	rat
Triethylenetetramine	LD50 dermal	> 5,000 mg/kg	rabbit
Mixture of oils	LD50 oral	> 5,000 mg/kg	rat
Mixture of oils	LC50 inhalation	> 5 mg/kg - 4 h	rat
Mixture of oils	LD50 dermal	> 2,000 mg/kg	rabbit

#### **Other information:**

##### **Skin corrosion/irritation:**

Epoxy component is a skin sensitiser; may cause skin burns.

##### **Eye injury/irritation:**

Epoxy component is irritating to the eyes; corrosive to the eye.

##### **Carcinogenicity:**

No.

##### **Symptoms related to physical, chemical and toxicological characteristics:**

###### **In case of ingestion:**

The ingredients are a physical hazard if swallowed and may cause digestive constipation depending on the amount swallowed.

###### **In case of skin contact:**

Repeated skin contact may lead to sensitisation with the epoxide component.

###### **In case of inhalation:**

Not volatile in solid form.

Low level of danger.

###### **In case of eye contact:**

Direct contact of materials with the eye will cause redness and irritation.

### 11.2 Information on other hazards

#### **Endocrine-disrupting properties**

Product:

# SAFETY DATA SHEET



According to directive 1907/2006/EC, 2020/878

Page: Page 10 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

## Assessment:

The substance/mixture does not contain components believed to have endocrine-disrupting properties according to REACH article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at level 0.1% or higher.

## Further information

Product:

Notes:

No data available

## **SECTION 12: Ecological information**

### 12.1 Toxicity:

Aquatic toxicity - applicable to Part A in uncured form.

Component	Animal	Test	Result	Other
Epoxy resin	Onchorhynchus mykiss	LC50 - 96 h	1 - 10 mg/l	Chronic 2
Epoxy resin	Bacteria	EC0 (0.5 hours)	>10 - 100 mg/l	
Triethylenetetramine	Leuciscus idus	LC0 - 48 hours	200 mg/l	Chronic 3
Triethylenetetramine	Algae	IC50 - 72 hours	>100 mg/l	

Uncured Part B is aquatic toxic.

Cured product is insoluble in water and is not aquatically toxic.

Cured product is safe to use in aquatic environments.

### 12.2 Persistence and degradability:

Cured product is stable and does not break down in air or water.

Uncured Part B has a shelf life and will gradually react to form a hard, non-reactive material.

### 12.3 Bioaccumulation:

No further information available.

### 12.4 Mobility in soil:

Cured product is not soluble in water.

### 12.5 Results of PBT and vPvB assessment

This substance does not meet the criteria for classification as PBT or vPvB.

### 12.6 Endocrine disrupting properties

Product:

Assessment:

The substance/mixture does not contain components believed to have endocrine-disrupting properties according to REACH article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at level 0.1% or higher.

### 12.7 Other adverse effects:

No further information available.

## **SECTION 13: Instructions for disposal**

### 13.1 Waste treatment methods:

#### **For intended use:**

Uncured Part B is aquatic toxic and a skin sensitizer according to GHS criteria.

Dispose of unused portions of A in accordance with Directive 2008/98/EC.

#### **After intended use:**

Cured product is inert in the environment and does not meet the criteria of Directive 2008/98/EC for hazardous waste.

Dispose of in accordance with local regulations.

## **SECTION 14: Transport information**

### 14.1 UN number

Transport of this substance is not subject to regulations.

### 14.2 Proper designation of cargo according to UN model regulations

Transport of this substance is not subject to regulations.

According to directive 1907/2006/EC, 2020/878

Page: Page 11 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

#### 14.3 Transport hazard class(es)

Transport of this substance is not subject to regulations.

#### 14.4 Packing group

Transportation of this substance is not subject to regulations.

#### 14.5 Environmental risks

Transport of this substance is not subject to regulations.

#### 14.6 Special precautions for the user

Notes:

The transport of dangerous goods, including loading and unloading, must be carried out in accordance with regulations by personnel who have received the necessary training;

The transport classification(s) given herein are for information only, and based solely on the properties of the unpackaged material as described in this safety data sheet. Transport classifications may vary in terms of mode of transport, size of packaging and variations in regional or national regulations.

#### 14.7 Sea transport in bulk in accordance with IMO instruments

Not applicable for product, as delivered.

### **SECTION 15: Statutory information**

#### 15.1 Safety, health and environmental regulations and legislation specific to the substance or mixture:

##### **Chemical inventory status:**

Ingredients included in: TSCA, DSL, Japan, and EC inventories.

##### **Information on EU regulations:**

ANNEX III Trientine EC List No 203-950-6 CAS No 112-24-3 - the substance is listed in Annex VI of CLP as Acute Toxic 4; Aquatic Chronic 3; Skin Corrosion 1B, suspected mutagenic (CAESAR mutagenicity mode in VEGA (Q)SAR.

##### Germany - Water class (WGK)

Ingredients in Part B are listed as WGK class 3 ingredients.

Based on the ingredient %, the product should be listed as class 3 in unreacted form.

The small packaging (908 g) of Part B in a separate container, makes the effect on water bodies in case of spillage unlikely.

When parts A and B are combined, the reactive components are converted into benign materials that do not pose a hazard to a water body.

Finished material is not water hazardous.

See section 8 for information on leachability.

#### 15.2 Chemical safety assessment:

No chemical safety assessment has been carried out.

### **SECTION 16: Other information**

#### **Full text of the H statements**

H315	Causes skin irritation
H317	May cause allergic skin reactions
H318	Causes serious eye damage
H319	Causes severe eye irritation
H332	Harmful by inhalation.
H411	Toxic to aquatic life with long-lasting effects
H412	Harmful to aquatic organisms with long-lasting effects.

#### **Full text of other abbreviations**

Acute Tox. :	acute toxicity
Aquatic Chronic :	Chronic aquatic toxicity
Eye Dam.:	Eye damage.
Eye Irrit. :	Eye irritation
Skin Sens. :	Skin sensitisation

# SAFETY DATA SHEET



According to directive 1907/2006/EC, 2020/878

Page: Page 12 from 12

Version 3.0

Revision date: 17-09-2021

Print date: 13-10-2022

Trade name: Apoxie® Sculpt, Super White Apoxie® - (Part B; all colours and versions)

Skin Irrit.

Skin irritation

## Classification of the preparation:

Eye irritation. 2

H319

Skin sensitisation 1B

H317

Aquatic chronic 2

H411

## Classification procedure:

Calculation method

Calculation method

Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR Agreement); AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body Weight; CLP - Regulation on Classification, Labelling and Packaging; Regulation (EC) no. 1272/2008; CMR - carcinogenic, mutagenic or toxic to reproduction; DIN - standard of the German Institute for Standardisation; DSL - List of Domestic Substances (Canada); ECHA - European Chemicals Agency; EC number - EINECS number; ECx - Concentration associated with x% response; ELx - Loading capacity associated with x% response; EmS - Emergency Plan; ENCS - Existing and New Chemicals (Japan); ErCx - Concentration associated with x% growth response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - IMO International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk; IC50 - Half Maximum Inhibitory Concentration; ICAO - International Civil Aviation Organisation; IECSC - Inventory List of Existing Chemicals in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korean Inventory of Existing Chemicals; LC50 - Lethal concentration for 50% of a test population; LD50 - Lethal dose for 50% of a test population (lethal dose median); MARPOL - International Convention for the Prevention of Pollution from Ships; n.O.S. - Not mentioned elsewhere; NO(A)EC - No observable (negative) effect on concentration; NO(A)EL - No observable (negative) effect on level; NOELR - No observable effect on loading capacity; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Cooperation and Development OECD; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - persistent, bioaccumulative and toxic substance; PICCS - Philippine Inventory of Chemicals and Chemicals; (Q)SAR - (Quantitative) structure-activity relationships; REACH - Regulation (EC) no. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH); RID - Regulations concerning the International Carriage of Dangerous Goods by Rail (RID); SADT - Self-Accelerating Decomposition Temperature; SDS - safety data sheet; SVHC - substance of very high concern; TCSI - Taiwan Inventory of Chemical Substances; TRGS - Hazardous Substances Technical Regulation; TSCA - Toxic Substances Control Act (US); UN - United Nations; vPvB - very persistent and very bioaccumulative

## Further information

Training recommendations:

Provide users with appropriate information, instructions and training.

The information in this safety data sheet is correct to the best of our knowledge at the date of issue indicated. This information is intended only as guidance for the safe handling, use, processing, storage, transport, disposal and release of the substance and should not be considered a warranty or quality statement. The information relates only to the product mentioned herein and is not valid for use in combination with other products or in any other process, unless stated in the text.