

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 1 of 18  
Print date: 4-3-2025

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product identification:**

Product name: Metal patina Rust on iron part A  
UFI code: C300-N07H-G002-GT2P  
Product form: Mixture  
Product type: Paint  
Product group: Commercial product

### **1.2 Relevant identified uses of the substance or mixture and uses advised against:**

Main use category: Industrial use, Professional use  
Spec. industrial/professional use: Paint  
Use of the substance or mixture: Industrial  
Uses advised against: Not to be used for private purposes (household).  
Food, drinks and animal feed.

### **1.3 Details of the supplier of the safety data sheet:**

Manufacturer : ASSYST bvba / A.S.O.W. bvba  
Hellegatstraat 13a  
2590 Berlaar  
Belgium  
Tel: +32 495 50 61 14 / +32 496 83 70 27  
Website: [www.assyst.org](http://www.assyst.org) / [www.artsuppliesonweb.com](http://www.artsuppliesonweb.com)  
Email: [ao@assyst.org](mailto:ao@assyst.org) / [vera.opsommer@assyst.org](mailto:vera.opsommer@assyst.org)

### **1.4 Emergency phone number:**

For Belgium: Call the **Poison Control Centre (070 245 245 - free)**, if not available: **02 264 96 30** (normal rate) or your doctor. In life-threatening situations, always call the European emergency number **112**.  
NHS 24 Direct For help from a GP, visit your GP surgery's website, use an online service to contact your GP, or call the surgery. **For urgent medical help**, use the NHS 111 online service, or **call 111** if you are unable to get help online. **For life-threatening emergencies, call 999** for an ambulance. There is more information about getting medical help on the NHS website.

## **SECTION 2: Identification of hazards**

### **2.1 Classification of the substance or mixture:**

#### **Classification according to directive (EC) No 1272/2008 and its amendments.**

The product is classified according to current legislation.

#### **Classification in accordance with Regulation (EC) No 1272/2008 as amended.**

#### **Health hazards**

Skin corrosion/irritation, Category 1, Subcategory 1A - H314  
Serious eye damage/eye irritation, Category 1 - H318  
Acute danger to the aquatic environment, Category 1 - H400  
Chronic danger to the aquatic environment, Category 1 - H410  
Full text of H phrases in section 16.

#### **Adverse physicochemical, health and environmental effects**

Causes severe burns and eye damage.  
Toxic to aquatic organisms, with long-term effects.

### **2.2 Labelling elements:**

**Labelling according to regulation (EC) No 1272/2008 [CLP/GHS]:**

# SAFETY DATA SHEET

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page2 of 18  
Print date: 4-3-2025



## Hazard pictograms

### Signal word

Danger.

### Hazardous ingredients to be declared on the label:

- nitric acid ... %
- Copper sulphate pentahydrate

### Hazard statements:

H314 - Causes severe burns and eye damage.

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic organisms, with long-lasting effects.

### Precautions

#### Prevention:

P260 - Spray mist, Do not inhale vapour.

P273 - Avoid discharge into the environment.

P280 - Wear protective clothing, eye protection, face protection, protective gloves.

#### Action:

P303+P361+P353+P310 - IF ON SKIN (or hair): remove contaminated clothing immediately. Rinse/shower skin with water. Consult a doctor immediately.

P305+P351+P338+P310 - IF ON CONTACT WITH EYES: Rinse cautiously with water for several minutes; remove contact lenses, if possible; continue rinsing. Consult doctor immediately.

P501 - Dispose of contents and packaging safely in accordance local/national regulations.

### 2.3 Other hazards:

#### Results of PBT and vPvB assessment

The results of the assessment of the substance show that it is not a PBT or vPvB substance.

#### Endocrine-disrupting properties

Contains no endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition and information on ingredients

### 3.2 Mixtures:

Chemical Name	Cas no. EC No. Index number Registration number	Classification (Regulation (EC) No 1272/008)	Concentration (%)
nitric acid ... % substance with a Community workplace exposure limit	(CAS No) 7697-37-2 (EC No) 231-714-2 (EU Identification-No) 007-004-00-1 (REACH No) 01-2119487297-23	Ox. Liq.3 - H272 Met. Corr.1 - H290 Acute Tox.3 Inhalation - H331 Skin Corr.1A - H314 Eye Dam.1 - H318  <b>Specific concentration limits</b> Skin Corr. 1A; H314 $\geq 20\%$ Skin Corr. 1B; H314 5 - < 20 % Ox. Liq. 3; H272 $\geq 65\%$  <b>Acute toxicity estimates</b> Acute toxicity by inhalation (vapours): 2.65 mg/l  <b>Note</b> B GHS-HC IOELV	5 - 6,5
Copper sulphate pentahydrate	(CAS No) 7758-99-8	Acute Tox. 4 (Oral), H302	5

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page3 of 18  
Print date: 4-3-2025

	(EC No) 231-847-6 (EU Identification-No) 029-023-00-4 (REACH No) 01-2119520566-40	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410  <b>ATE</b> 481 mg/kg (oral) <b>M-Factor</b> Aquatic Acute 1, (M=10) Aquatic Chronic 1, (M=10)	
--	---	---	--

**Note :**

- B:** Some substances (such as acids and bases) are marketed as aqueous solutions of varying concentrations and these solutions must therefore be classified and labelled differently according to the hazard associated with each concentration. Whenever Note B is mentioned in Part 3, a general designation such as: "nitric acid ... %". In this case, the supplier must state on the label the concentration as a percentage. Unless otherwise stated, it is assumed that the concentration is calculated on the basis of the percentage by weight.
- GHS-HC:** Harmonised classification (the classification of the substance is according to the annotation in accordance with 1272/2008/EC, Annex VI)
- IOELV:** Substance with a common indicative occupational exposure limit value
- For explanation of abbreviations, see section 16.

**SECTION 4: First aid measures****4.1 Description of first-aid measures:****First aid general:**

Emergency workers: take care of your own protection too! Remove contaminated clothing immediately. At risk of unconsciousness, place and transport in stable side position.

**First aid after inhalation:**

Consult a doctor. Move to fresh air in case of incidental inhalation of vapours or decomposition products. It may be dangerous for those mouth-to-mouth resuscitation. oxygen or artificial respiration if necessary. Respirator users should be trained.

**First aid after skin contact:**

Rinse immediately with plenty of water. Consult a doctor. Remove and wash contaminated clothing before reuse. Fresh air, rest. Consult an ANTIGIFCENTRUM/doctor immediately.

**First aid after eye contact:**

IF CONTACT WITH EYES: Rinse gently with water for several minutes; remove contact lenses, if possible; continue rinsing. Protect undamaged eye. Consult an ophthalmologist immediately. If possible, remove contact lenses and continue rinsing.

**First aid after ingestion by mouth:**

Rinse mouth with water. Consult doctor/medical service. DO NOT induce vomiting. Let the victim rest. Never administer anything by mouth to an unconscious person.

**4.2 Main acute and delayed symptoms and effects:**

No additional information available

**4.3 Indication of immediate medical attention and special treatment required:**

Treatment of symptoms (removal of contaminant, monitoring of vital signs), no specific antidote known. Ensure adequate ventilation, especially in closed rooms.

**SECTION 5: Fire-fighting measures****5.1 Extinguishing media:****Suitable extinguishing agents:**

Dry powder. Carbon dioxide. Foam. Alcohol-resistant foam.

**Unsuitable extinguishing media:**

Do not use a strong water jet.

**5.2 Special hazards arising from the substance or mixture:****Fire hazard:**

Possible formation of hazardous fumes.

**Explosion hazard:**

According to directive 1907/2006/EC,  
Version 3.0                      Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 4 of 18  
Print date: 4-3-2025

Heat can cause pressure and the bursting of closed vessels, spreading the fire and increasing the risk of burns and injuries.

**Reactivity in case of fire:**

Smoke/fog formation. Possible formation of toxic gases.

**Hazardous decomposition products in case of fire:**

When heated: formation of harmful gases/vapours. Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

5.3 Advice for firefighters:

**Fire precautions:**

Approach with the wind. Wear self-contained breathing apparatus. Evacuate.

**Extinguishing instructions:**

Cool exposed vessels with a water spray or mist. If possible, cool containers/tanks/reservoirs by spraying water. Take account of environmentally contaminated fire extinguishing water.

**Protection during firefighting:**

Approaching against the wind. Autonomous breathing apparatus. Full respirator. Full protective clothing. Do not enter fire zone without suitable safety equipment, including respiratory protection.

**Other information:**

Do not inhale the vapours. Avoid product contaminating groundwater. Do not contaminate ground and surface water.

**SECTION 6: Measures in case of accidental release of the substance or mixture**

6.1 Personal precautions, protective equipment and emergency procedures:

**General measures:**

Evacuate personnel to a safe place. Avoid contact with eyes and skin and do not inhale vapour and mist. Ensure adequate ventilation. Wear personal protective equipment. Keep upwind. Use only after reading and understanding all safety instructions. Plug the leak if it can be done safely. See section 8. Contaminated work clothing must not leave the work area.

6.1.1. For persons other than emergency services

**Protective equipment:**

For material selection of protective clothing: see "Material-handling".

6.1.2. For the emergency services

**Protective equipment:**

For material selection of protective clothing: see "Material-handling".

6.2 Environmental precautions:

**Environmental precautions:**

Do not discharge into groundwater, surface water or the sewerage system. For further information, see section 13.

6.3 Methods and materials for containment and cleaning:

**For containment:**

Collect and dispose of all waste in suitable and labelled containers in accordance with locally applicable regulations. Absorb in an absorbent product (e.g. sand, sawdust, universal binder, silica gel).

**Cleaning methods:**

Vacuum up large spills with a pump or Hoover. This product and its packaging must be disposed of safely in accordance with local legislation. Clean contaminated surfaces with plenty of water. Small quantities of the liquid spill: pick up with non-combustible absorbent material, scoop up and dispose of in a waste container.

**Other information:**

The spilled product may be dangerously slippery. Do not inhale the fumes.

6.4 Reference to other sections:

Reference to other sections (8, 13). SECTION 7.

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 5 of 18  
Print date: 4-3-2025

## **SECTION 7: Handling and storage:**

### 7.1 Precautions for safe handling of the substance or mixture:

#### **Additional hazards in processing:**

Electrostatic charges can build up during handling.

#### **Precautions for safe handling of the substance or mixture:**

Avoid contact with eyes and skin and do not inhale vapour or mist. Use only in well-ventilated areas. Consult special instructions before use. Only use after reading and understanding all safety instructions. Avoid vapour formation. Handle and open container/packaging carefully. Emergency eye showers and safety showers should be installed close to any place of possible exposure. Provide local exhaust or general ventilation of the area. Wear personal protective equipment. See section 8. Wear respiratory protection in case of inadequate ventilation.

#### **Hygiene measures:**

Wash hands and other exposed parts with mild soap and water before eating, drinking, smoking or leaving work. Do not eat, drink or smoke while using this product. Remove and wash contaminated clothing immediately before reuse. Do not allow contaminated work clothes to leave the work area. Handle in accordance with good industrial hygiene and safety practices.

### 7.2 Conditions for safe storage, including incompatibilities:

#### **Technical measures:**

Provide a local exhaust or general ventilation of the room. Provide appropriate ventilation, especially in enclosed areas. Emergency eye showers and safety showers should be installed close to any area of possible exposure.

#### **Storage conditions:**

Store under lock and key. Store in a dry place. Keep container tightly closed to avoid contamination and moisture absorption. Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke. All containers should be labelled to warn against exposure. Store in a safe manner in accordance with local/national regulations.

#### **Non-combinable fabrics:**

Keep away from: strong acids, strong bases and oxidising agents, water, reducing agents.

#### **Incompatible materials:**

Keep away from strong acids and strong oxidising agents.

#### **Heat and ignition sources:**

Protect from heat and direct sunlight. No flames, no sparks. Remove all sources of ignition.

#### **Information on mixed storage:**

Separation of foodstuffs, combustible materials.

#### **Storage:**

Protect from direct sunlight. Store in a well-ventilated place.

#### **Special packaging requirements:**

Keep only in the original packaging. Correctly labelled.

### 7.3 Specific end use:

For the relevant identified use(s) in section 1, the advice in section 7 should be taken into account.

## **SECTION 8: Exposure controls/personal protection measures**

### 8.1 Control parameters:

#### Metal patina Rust A

#### **National limits**

#### **Occupational exposure limits (occupational exposure limits)**

Country	Substance name	CAS No.	Identification	TGG 8h (ppm)	TGG 8h [mg/m <sup>3</sup> ]	TGG 15 min (ppm)	TGG 15 min [mg/m <sup>3</sup> ]	CW (ppm)	CW [mg/m <sup>3</sup> ]	Notation	Source
BE	nitric acid	7697-37-2	VLEP/GWBB			1	2.6				Belgian Official Journal

# SAFETY DATA SHEET

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 6 of 18  
Print date: 4-3-2025

EU	nitric acid	7697-37-2	IOELV			1	2.6				2006/15/EC
----	-------------	-----------	-------	--	--	---	-----	--	--	--	------------

## Notation

CW: Ceiling value is a limit value that must not be exceeded (ceiling value)  
TGG 15 min: Short-time value (short-term exposure limit): limit that may not be exceeded and which applies, for a period of 15 minutes (unless otherwise stated)  
TGG 8 hours: Time-weighted average (long-term exposure limit): measured or calculated from an eight-hour reference period (unless otherwise stated)

## Human health values

### Relevant DNEL and other threshold values - ingredient Copper sulphate CAS 7758-99-8

End point	Threshold	Protection objective, route of exposure	Used in	Exposure time
DNEL	1 mg/m <sup>3</sup>	human, via inhalation	(industrial) employees	chronic - systemic effects
DNEL	1 mg/m <sup>3</sup>	human, via inhalation	(industrial) employees	chronic - local effects
DNEL	137 mg/kg bw/day	human, through the skin	(industrial) employees	chronic - systemic effects

## Environmental values

### Relevant PNEC and other thresholds - ingredient Copper sulphate CAS 7758-99-8

End point	Threshold	Organism	Environmental compartments	Exposure time
PNEC	7.8 µg/l	Aquatic organisms	Freshwater	short-term (one-off)
PNEC	5.2 µg/l	aquatic organisms	Seawater	short-term (one-off)
PNEC	230 µg/l	aquatic organisms	sewage treatment plants (STP)	short-term (one-off)
PNEC	87 mg/kg	aquatic organisms	Freshwater sediment	short-term (one-off)
PNEC	676 mg/kg	Aquatic organisms	Sea water sediment	short-term (one-off)
PNEC	65 mg/kg	terrestrial organisms	Bottom	short-term (one-off)

## 8.2 Exposure control measures:

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear safety goggles with side protection.

#### Skin protection

##### Hand protection

Wear suitable gloves.

Suitable are EN 374-tested gloves against chemicals.

Determine leak tightness/impermeability before use.

It is recommended that, in case of special applications, the chemical resistance of the safety gloves mentioned above be checked together with the supplier of the gloves.

Times are estimated values from measurements at 22°C and permanent contact.

Increased temperatures due to heated fabrics, body heat, etc.

And a reduction in effective layer thickness due to stretching can lead to a significant reduction in breakthrough time.

If in doubt, contact the manufacturer.

For a layer thickness approximately 1.5 times larger / smaller, the respective breakthrough time is doubled / halved.

The data applies only to the pure substance.

When transferred to mixtures of substances, they should only be considered as guidelines.

#### Material : Natural rubber

Breakthrough time : > 480 min

Glove thickness : 0.5 mm

#### Material : Polychloroprene

Breakthrough time : > 480 min

Glove thickness : 0.5 mm

#### Material : butyl rubber

Breakthrough time : > 480 min

Glove thickness : 0.5 mm

#### Material : Fluorinated rubber

Breakthrough time : > 480 min

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 7 of 18  
Print date: 4-3-2025

Glove thickness : 0.4 mm

Material : Polyvinyl chloride

Breakthrough time : > 480 min

Glove thickness : 0.5 mm

### Other protective equipment

Insert rest periods for skin regeneration.

Preventive skin protection (skin-protective creams) is recommended.

### Protection of respiratory organs

Respiratory protection is necessary in case of: Dust generation.

Particle filter (EN 143).

P2 (filters at least 94% of air particles, colour code: white).

### Managing environmental exposure

Avoid getting the product into drains, surface water or groundwater.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties:

Physical state:	Liquid.
Colour:	light blue.
Odour:	Odourless.
Odour threshold:	Not determined due to respiratory sensitising properties
Melting point:	Not applicable
Freezing point:	not determined
Boiling point:	not determined
Flammability:	Non-flammable
Explosive properties:	Based on its structure, this product is classified as non-explosive.
Oxidising properties:	Due to its structure, the product is classified as non-oxidising.
Explosion limits:	not established
Lower explosion limit (OEG):	Not available
Upper explosion limit (BEG):	Not available
Flash point:	Not applicable
Self-ignition temperature:	Not applicable
Decomposition temperature:	not determined
SADT:	not established
pH:	not determined
pH solution:	not determined
Viscosity, kinematic:	not determined
Viscosity, dynamic:	not determined
Solubility:	Water: not determined
Partition coefficient n-octanol/water (Log Kow):	Not available
Partition coefficient n-octanol/water (Log Pow):	not determined
Vapour pressure:	not determined
Vapour pressure at 50°C:	not determined
Density:	not determined
Relative density:	not determined
Relative vapour density at 20°C:	not determined
Particle size:	Not applicable
Particle size distribution:	Not applicable
Form of particles:	Not applicable
Aspect ratio particles:	Not applicable

According to directive 1907/2006/EC,  
Version 3.0                      Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 8 of 18  
Print date: 4-3-2025

Particulate aggregation state:                      Not applicable  
Particle agglomeration state:                      Not applicable  
Specific particle surface size:                      Not applicable  
Particle dust formation:                              Not applicable

## 9.2 Other information

### **Information on physical hazard classes**

No additional information available

### **Other safety features**

Relative evaporation rate (butyl acetate=1):                      not determined  
VOC content    not determined  
Other properties:    Where necessary, information on other physical and  
chemical parameters is given in this section.  
Additional information:    No further information available.

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity:

Stable under normal conditions.

### 10.2 Chemical Stability:

Stable under normal conditions.

### 10.3 Potential Hazardous Reactions:

May decompose on exposure to high temperature, releasing toxic fumes.

Reacts with: Strong acid.

Reacts violently with bases. water.

### 10.4 Conditions to avoid:

Keep away from heat sources and direct sunlight.

No flames, no sparks.

Remove all ignition sources.

### 10.5 Chemically interacting Materials:

Acids and bases.

Strong oxidising agents.

### 10.6 Hazardous Decomposition Products:

No hazardous decomposition products, if regulations/indication are observed during storage and handling.

Nitrogen oxides.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects:

#### **Acute toxicity (oral):**

Not classified (Based on available data; classification criteria not met)

#### **Acute toxicity (dermal):**

Not classified (Based on available data; classification criteria not met)

#### **Acute toxicity (inhalation):**

Not classified (Based on available data; classification criteria not met)

#### Constituents:

nitric acid ... % (7697-37-2)

LC50 Inhalation - Rat:

> 2,65 mg/l (OECD 403 method)

Copper sulphate pentahydrate (7758-99-8)

LD50 oral rat:

481 - 482 mg/kg body weight ECHA reference

LD50 dermal rat:

> 2000 mg/kg body weight ECHA reference

#### **Skin corrosion/irritation:**

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 9 of 18  
Print date: 4-3-2025

Causes severe burns.

pH: not determined

**Serious eye damage/eye irritation:**

Causes serious eye damage.

pH: not determined

**Respiratory/skin sensitisation:**

Not classified (Based on available data; classification criteria not met)

**Mutagenicity in gametes:**

Not classified (Based on available data; classification criteria not met)

**Carcinogenicity:**

Not classified (Based on available data; classification criteria not met)

**Reproductive toxicity:**

Not classified (Based on available data; classification criteria not met)

**STOT on single exposure:**

Not classified (Based on available data; classification criteria not met)

**STOT on repeated exposure:**

Not classified (Based on available data; classification criteria not met)

**Aspiration hazard:**

Not classified (Based on available data; classification criteria not met)

**Metal patina Rust A**

Viscosity, kinematic:

not established

**Other information**

**Potential adverse effects on human health and possible symptoms:**

Causes severe burns and eye damage.

**Other information:**

The product has not been tested. The statement is derived from substance/products with similar structure or composition. No experimental research on the product is available. The information provided is based on our knowledge of the ingredients and the classification of the product was determined by calculations

11.2 Additional information

Contains no endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

11.3 Information on other hazards

There is no further information.

**SECTION 12: Ecological information**

12.1 Toxicity:

**Ecology - general:**

Highly toxic to aquatic organisms, with long-term effects.

**Ecology - air:**

Not hazardous to the ozone layer (Regulation (EC) No 1005/2009).

**Ecology - water:**

The product must not enter the environment.

**Short-term hazard to the aquatic environment (acute):**

Highly toxic to aquatic organisms.

**Aquatic hazard, long-term (chronic):**

Highly toxic to aquatic organisms, with long-term effects.

**Additional information:**

No experimental studies on the product are available. The information provided is based on our knowledge of the ingredients and the classification of the product was determined from calculations.

Product:

Metal patina Rust A

Additional information:

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 10 of 18  
Print date: 4-3-2025

The product was not examined.  
The information is derived from the properties of the individual components.

#### 12.2 Persistence and Degradability:

Product:

Metal patina Rust A

#### **Persistence and degradability:**

Not established.

#### 12.3 Bioaccumulation:

Product:

Metal patina Rust A

#### **Partition coefficient n-octanol/water (Log Pow):**

not established

#### **Bioaccumulation:**

This product has not been tested for environmental impact.

#### 12.4 Mobility in soil:

Product:

Metal patina Rust A

#### **Ecology - soil:**

No specific data.

#### 12.5 Results of PBT and vPvB assessment:

Product:

Metal patina Rust A

Does not contain any PBT/vPvB substance at a concentration of  $\geq 0.1\%$ .

#### Constituents:

nitric acid ... % (7697-37-2)

Does not contain any PBT/vPvB substance at a concentration of  $\geq 0.1\%$ .

Copper sulphate pentahydrate (7758-99-8)

Does not contain any PBT/vPvB substance at a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Contains no endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

No data are available.

### **SECTION 13: Disposal instructions**

#### 13.1 Waste treatment methods:

Dispose of this substance and its packaging as hazardous waste.

Dispose of contents/packaging in accordance with local/regional/national/international regulations.

#### **Information regarding wastewater discharge**

Do not throw waste into the sink.

Avoid discharge into the environment.

Ask for special instructions/safety card.

#### **Waste treatment of containers/packaging**

It is hazardous waste; only approved packaging (e.g. in accordance with ADR) may be .

Contaminated packaging can be treated like the substance itself. Fully emptied packaging can be recycled.

#### **Relevant provisions on waste prevention**

The allocation of waste key numbers/waste markings should be industry- and process-specific in accordance with AVV.

#### **Hazardous properties of waste**

HP 4 irritant - skin irritation and eye damage

HP 6 acute toxicity

HP 14 ecotoxic

#### **Comments**

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 11 of 18  
Print date: 4-3-2025

Waste is separated into the categories that can be treated separately by local or national waste management services.

Please note the relevant national or regional provisions.

Uncontaminated and completely empty containers can be used again.

## **SECTION 14: Information relating to transport**

### 14.1 UN number

UN no (ADR):	UN 1760
UN No (IMDG):	UN 1760
UN No (IATA):	UN 1760
UN No (ADN):	UN 1760
UN No (RID):	UN 1760

### 14.2 Proper cargo name according to UN model regulations

Official shipping name (ADR):	CORROSIVE LIQUID, N.O.S.
Official transport name (IMDG):	CORROSIVE LIQUID, N.O.S.
Official transport name (IATA):	Corrosive liquid, n.o.s.
Official transport name (ADN):	CORROSIVE LIQUID, N.O.S.
Official transport name (RID):	CORROSIVE LIQUID, N.O.S.
Description of the transport document (ADR):	UN 1760 CORROSIVE LIQUID, N.O.S. (CONTAINS; reaction products of phosphoryl trichloride and 2-methyloxirane (TCPP); phthalic anhydride; copper (ii) nitrate 2,5-hydrate pure; acetic acid ... %), 8, II, (E), ENVIRONMENTALLY DANGEROUS
Transport document description (IMDG):	UN 1760 CORROSIVE LIQUID, N.O.S. (CONTAINS copper (ii) nitrate 2,5-hydrate pure ; acetic acid ... %), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA):	UN 1760 Corrosive liquid, n.o.s. (CONTAINS ; ; copper (ii) nitrate 2,5-hydrate pure ; acetic acid ... %), 8, II, ENVIRONMENTALLY HAZARDOUS
Carrier's description (ADN):	UN 1760 CORROSIVE LIQUID, N.O.S. (CONTAINS; reaction products of phosphoryl trichloride and 2-methyloxirane (TCPP); phthalic anhydride; copper (ii) nitrate 2,5-hydrate pure; acetic acid ... %), 8, II, ENVIRONMENTALLY DANGEROUS
Carrier's description (RID):	UN 1760 CORROSIVE LIQUID, N.O.S. (CONTAINS; reaction products of phosphoryl trichloride and 2-methyloxirane (TCPP); phthalic anhydride; copper (ii) nitrate 2,5-hydrate pure; acetic acid ... %), 8, II, ENVIRONMENTALLY HAZARDOUS

### 14.3 Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR):	8
Danger labels (ADR):	8

#### **IMDG**

Transport hazard class(es) (IMDG):	8
Danger labels (IMDG):	8

#### **IATA**

Transport hazard class(es) (IATA):	8
Danger labels (IATA):	8

#### **ADN**

Transport hazard class(es) (ADN):	8
Danger labels (ADN):	8

# SAFETY DATA SHEET

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 12 of 18  
Print date: 4-3-2025

## RID

Transport hazard class(es) (RID): 8

Hazard labels (RID): 8

### 14.4 Packing group

Packing group (ADR): II

Packing Group (IMDG): II

Packing group (IATA): II

Packing group (ADN): II

Packing group (RID): II

### 14.5 Environmental hazards

Environmentally hazardous: Yes

Marine pollution: Yes

Other information: No additional information available

### 14.6 Special precautions for the user

#### Road transport

Classification code (ADR): C9

Special provision (ADR): 274

Limited quantities (ADR): 1I

Exempted quantities (ADR): E2

Packing instructions (ADR): P001, IBC02

Regulations on mixed packing (ADR): MP15

Instructions for transport tanks and  
bulk containers (ADR): T11

Special provisions for transport  
tanks and bulk containers (ADR): TP2, TP27

Tank code (ADR): L4BN

Tank transport vehicle: AT

Transport category (ADR): 2

Hazard identification number (Kemler no.): 80

80

1760

Orange identification sign:

Tunnel Restrictions Code (ADR): E

#### Transport at sea

Special Provision (IMDG): 274

Packing instructions (IMDG): P001

Packing instructions IBC (IMDG): IBC02

Instructions for tanks (IMDG): T11

Special provisions for tanks (IMDG): TP2, TP27

No NS (Fire): F-A

No NS (Waste): S-B

Stowage category (IMDG): B

Stowage and handling (IMDG): SW2

Measures and observations (IMDG): Causes burns to skin, eyes and mucous membranes.

MFAG-No: 127;128

#### Air transport

PCA Expected quantities (IATA): E2

PCA Limited quantities (IATA): Y840

PCA limited quantity max. net quantity (IATA): 0.5L

PCA packing requirements (IATA): 851

PCA max. net quantity (IATA): 1L

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 13 of 18  
Print date: 4-3-2025

CLA packaging requirement (IATA): 855  
CLA max. net quantity (IATA): 30L  
Special provision (IATA): A3, A803  
ERG (IATA) code: 8L

**Transport on inland waters**

Classification code (ADN): C9  
Special provision (ADN): 274  
Limited quantities (ADN): 1 L  
Exceptional quantities (ADN): E2  
Equipment required (ADN): PP, EP  
Number of blue cones/lights (ADN): 0

**Rail transport**

Classification code (RID): C9  
Special provision (RID): 274  
Restricted quantities (RID): 1L  
Exceptional quantities (RID): E2  
Packing instructions (RID): P001, IBC02  
Special rules for joint packaging (RID): MP15  
Instructions for transport tanks and  
bulk containers (RID): T11  
Special provisions for transport  
tanks and bulk containers (RID): TP2, TP27  
Tank codes for RID tanks (RID): L4BN  
Transport category (RID): 2  
Express pack (RID): CE6  
Hazard identification number (RID): 80

**14.7 Transport in bulk in accordance with Annex II to MARPOL 73/78 and the IBC Code**

Not applicable for product, as delivered.

**SECTION 15: Statutory information****15.1 Safety, health and environmental regulations and legislation specific to the substance or mixture:****Relevant European Union (EU) provisions****Restrictions in accordance with REACH, Annex XVII****Restricted hazardous substances (REACH, Annex XVII)**

Name of substance	Name according to inventory	CAS No.	Restriction	No.
Nitric acid	This product meets the classification criteria of Regulation No 1272/2008/EC		R3	3
Nitric acid ...% [C ≤ 70 %].	substances in ink for tattoo or permanent make-up		R75	75
Copper sulphate pentahydrate	substances in ink for tattoo or permanent make-up		R75	75

**Legend****R3****1. May not be used:**

- ✓ in decorative objects intended to obtain light or colour effects by different phases, for example in mood lamps and ashtrays,
- ✓ in charades and fop articles,
- ✓ in games for one or more persons or in any object intended to be used as such, even if it acts as an ornamental object.

**2. Articles not complying with point 1 shall not be placed on the market.****3. May not be placed on the market if they contain a dye, unless required for fiscal reasons, or a fragrance or both, and if they:**

- ✓ can be used as fuel in decorative oil lamps intended for the general public, and
- ✓ are hazardous by inhalation and are labelled with H304.

**4. Decorative oil lamps intended for the general public may be placed on the market only if they conform to the European standard on decorative oil lamps adopted by the European Committee for Standardisation (CEN) (EN 14059).****5. Without prejudice to the application of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure that products comply with the following requirements before they are placed on the market:**

- a) lamp oils marked with H304 and intended for the general public shall visibly, legibly and indelibly bear the following statements: "Keep lamps filled with this liquid out of the reach of children"; and, no later than 1 December 2010, "A small sip of lamp oil - or even just sucking on the wick of lamps - can cause life-threatening lung damage";

According to directive 1907/2006/EC,

Page 14 of 18

Version 3.0

Review date: 22-01-2025

Print date: 4-3-2025

Trade name: Metal patina Rust on iron part A

- b) barbecue lighter fluids labelled with H304 and intended for the general public must be legibly and indelibly marked no later than 1 December 2010 with the following statement: "A small sip of lighter fluid may cause life-threatening lung damage";
- c) lamp oils and barbecue lighter fluids marked H304 and intended for the general public shall be packaged in black opaque containers of no more than 1 litre by 1 December 2010.

**R75**

1. Shall not be placed on the market in mixtures for tattooing purposes, and mixtures containing such substances shall not be used for tattooing purposes after 4 January 2022 if the substance(s) in question is/are present or if the following circumstances occur:

- a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogenic category 1A, 1B or 2, or as germ cell mutagenic category 1A, 1B or 2, the concentration of that substance in the mixture is equal to or greater than 0.00005 % by weight;
- b) in the case of a substance classified as toxic to reproduction category 1A, 1B or 2 in Part 3 of Annex VI to Regulation (EC) No 1272/2008, the concentration of that substance in the mixture is equal to or greater than 0.001 % by weight;
- c) in the case of a substance classified as a category 1, 1A or 1B skin allergen in Part 3 of Annex VI to Regulation (EC) No 1272/2008, the concentration of that substance in the mixture is equal to or greater than 0.001 % by weight;
- d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as corrosive to the skin, category 1, 1A, 1B or 1C, or irritant to the skin, category 2, or for serious eye damage, category 1 or irritant to the eyes, category 2, the concentration of that substance in the mixture is equal to or greater than:
  - i. 0.1 % by weight, if the substance is used solely as a pH regulator;
  - ii. 0.01% by weight, in all other cases;
- e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), a concentration in the mixture equal to or greater than 0,00005 % by weight; in the case of a substance for which column g (Product type, body parts) of the table in Annex IV to Regulation (EC) No 1223/2009 indicates one or more of the following types of conditions, the concentration of the substance in the mixture equal to or greater than 0,00005 % by weight:
  - i. "Products washed off, out or away";
  - ii. "Do not use in products applied to mucous membranes";
  - iii. "Do not use in eye products";
- f) in the case of a substance for which a condition is specified in column h (Maximum concentration in the product ready for use) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the concentration of the substance in the mixture does not meet the condition specified in that column, or the substance otherwise fails to meet it;
- g) in the case of a substance listed in Appendix 13 to this Annex, the concentration of the substance in the mixture is equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry, the use of a mixture "for tattooing purposes" means the injection or insertion of the mixture into the skin, mucous membranes or eyeball of a person by means of a process or procedure (including procedures commonly referred to as "permanent make-up", cosmetic tattooing, "microblading" and "micropigmentation"), for the purpose of leaving a permanent mark(s) or drawing on that person's body.

3. Where a substance not listed in Appendix 13 falls under more than one of items (a) to (g) of paragraph 1, the most stringent of the concentration limits set out in those items shall apply to that substance. Where a substance listed in Appendix 13 also falls under one or more of items (a) to (g) of paragraph 1, the concentration limit set out in paragraph 1(h) shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

- a. Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
- b. Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 so as to classify or reclassify a substance so that it falls under (a), (b), (c) or (d) of paragraph 1 of this entry, or under a different entry than before, and if the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall be treated, for the purposes of applying this entry to that substance, as applying on the date of application of that new or revised classification.

6. Where the entry of a substance in Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 such that the substance falls under (e), (f) or (g) of point 1 of this entry, or under a different point than before, and if the amendment takes effect after the date referred to in point 1 or, as the case may be, point 4 of this entry, that amendment shall be treated, for the purposes of applying this entry to that substance, as taking effect from the date falling 18 months after the entry into force of the act which adopted that amendment.

7. Suppliers placing a mixture on the market for tattooing purposes after 4 January 2022 shall ensure that the following information is indicated on the mixture:

- a) the text "Mixture for use in tattoos or permanent make-up";
- b) a unique batch identification reference number;
- c) the list of ingredients according to the nomenclature defined in the glossary of common ingredient names in accordance with Article 33 of Regulation (EC) No 1223/2009, or, in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC designation, the CAS and EC number. Ingredients shall be listed in descending order of weight or volume of ingredients at the time of formulation. Ingredient means any substance added during the formulation of the mixture for tattooing purposes and present therein. Impurities are not considered ingredients. Where the name of a substance used as an ingredient within the meaning of this entry must already be indicated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient need not be indicated in accordance with this Regulation;
- d) the additional entry "pH regulator" for substances covered by paragraph 1(d)(ii);
- e) the statement "Contains nickel. May cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 15 of 18  
Print date: 4-3-2025

- f) the statement "Contains hexavalent chromium (VI). May cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
- g) safety precautions for use, if not already required to be indicated on the label in accordance with Regulation (EC) No 1272/2008. The information shall be clearly visible, easily legible and indelible. The information shall appear in the official language(s) of the Member State(s) where the mixture is marketed, unless otherwise specified by the Member State(s) concerned. If there is not enough space on the packaging for the information referred to in the first subparagraph, that information shall, except as regards point (a), be included in the instructions for use. The person administering the mixture shall provide the information specified on the packaging or in the instructions for use in accordance with this point to the person undergoing the procedure before the mixture is used for tattooing purposes.

8. Mixtures without the text "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances which are gases at a temperature of 20 °C and pressure of 101.3 kPa, or which generate a vapour pressure greater than 300 kPa at a temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market or use of mixtures for tattooing purposes that are placed on the market or used exclusively as medical devices or accessories to a medical device within the meaning of Regulation (EU) 2017/745. Where a mixture has not been placed on the market or cannot be used exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and the requirements of this Regulation apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

#### Seveso Directive

##### 2012/18/EU (Seveso III)

No.	Hazardous substance/hazard categories	Thresholds (tonnes) for application of requirements for lower and upper-tier establishments	Nuts
E1	environmental hazards (danger to the aquatic environment, cat.1)	100 - 200	56)
H2	acutely toxic (cat. 2 + cat. 3. inhal.)	50 - 200	41)
P8	oxidising liquids and solids	50 - 200	55)

#### Notation

41) - Category 2, all exposure routes

- Category 3, inhalation exposure route

55) Oxidising liquids of category 1, 2 or 3, or oxidising solids of category 1, 2 or 3

56) Hazardous to the aquatic environment in category Acute 1 or Chronic 1

#### Decopaint Directive

VOC content: 0 %

#### Directive on industrial emissions (IE Directive)

VOC content: 0 %

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Not stated.

#### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Not stated.

#### Water framework directive (WFD)

##### List of pollutants (WFD)

Name of substance	Name according to inventory	CAS No.	Included in	Comments
Copper sulphate pentahydrate	Substances and preparations, or their degradation products, which have been shown to possess carcinogenic or mutagenic properties or properties which may cause effects in or via the aquatic environment on steroidogenic functions, thyroid functions, reproduction or other hormonal functions		a)	
Copper sulphate pentahydrate	Metals and metal compounds		a)	

#### Legend

(a) Indicative list of the main pollutants

#### Regulation on marketing and use of explosives precursors

Restricted explosives precursors						
Name of substance	CAS No.	Weight. %	Registration Type	Comments	Limit value	Upper limit for the purpose of authorisation Article 53)
Nitric acid ...% [C ≤ 70 %].	7697-37-2	69	Annex I		3 % w/w	10 % w/w

#### Legend

According to directive 1907/2006/EC,  
Version 3.0 Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 16 of 18  
Print date: 4-3-2025

Annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances containing them, unless the concentration is equal to or lower than the limits given below

**Additional information**

If the product is passed on to third parties, in accordance with Article 7 "Supply chain notification" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and controlled commodities.

**Regulation on drug precursors**

Not stated.

**Regulation on ozone-depleting substances**

Not stated.

**Regulation on export and import of dangerous chemicals (PIC)**

Not stated.

**Regulation on persistent organic pollutants (POPs)**

Not stated.

**Other information**

Directive 94/33/EC on the protection of young people at work. Observe work restrictions in accordance with the Pregnancy Directive (92/85/EEC) for expectant or nursing mothers.

**National inventories**

Country	List	Status
AU	AIIC	substance is mentioned
CN	IECSC	substance is mentioned
EU	ECSI	substance is mentioned
JP	CSCL-ENCS	substance is mentioned
KR	KECI	substance is mentioned
NZ	NZIoC	substance is mentioned
PH	PICCS	substance is mentioned
TW	TCSI	substance is mentioned
UN	NCI	substance is mentioned

**Legend**

AIIC:	Australian Inventory of Industrial Chemicals
CICR:	Chemical Inventory and Control Regulation
CSCL-ENCS:	List of Existing and New Chemical Substances (CSCL-ENCS)
ECSI:	EC inventory (EINECS, ELINCS, NLP)
IECSC:	Inventory of Existing Chemical Substances Produced or Imported in China
KECI:	Korea Existing Chemicals Inventory
NCI:	National Chemical Inventory
NZIoC:	New Zealand Inventory of Chemicals
PICCS:	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI:	Taiwan Chemical Substance Inventory

**15.2 Chemical safety assessment:**

No chemical safety assessment has been carried out by the supplier for this substance or mixture.

**SECTION 16: Other information**

**Indication of changes (revised safety data sheet)**

Aligning with regulation: Regulation (EC) No 1907/2006 (REACH), amended by 2020/878/EU.

**Section 2.3:**

Results of PBT and vPvB assessment: Does not contain any PBT/vPvB substance at a concentration  $\geq 0.1\%$ .

**Section 2.3:**

Endocrine-disrupting properties: Contains no endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

**List of relevant sentences (code and full text as mentioned in sections 2 and 3)**

H272 May promote fire; oxidising.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe burns and eye damage.

H318 Causes serious eye damage.

According to directive 1907/2006/EC,  
Version 3.0                      Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 17 of 18  
Print date: 4-3-2025

H331 Toxic by inhalation.  
H400 Very toxic to aquatic organisms.  
H410 Very toxic to aquatic organisms with long-lasting effects.

## Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road (ADR Agreement); AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Association for the Testing of Materials; bw - Body Weight; CLP - Regulation on Classification, Labelling and Packaging; Regulation (EC) No 1272/2008; CMR - Carcinogenic, mutagenic or toxic to reproduction; DIN - Standard of the German Institute for Standardisation; DSL - List of substances used indoors (Canada); ECHA - European Chemicals Agency; EC-Number - EINECS number; ECx - Concentration associated with x% response; ELx - Charge capacity associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemicals (Japan); ErCx - Concentration associated with x% growth response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - IMO International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk; IC50 - Half-Maximum Inhibitory Concentration; ICAO - International Civil Aviation Organisation; IECSC - Inventory List of Existing Chemicals in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korean Inventory of Existing Chemicals; LC50 - Lethal concentration for 50% of a test population; LD50 - Lethal dose for 50% of a test population (lethal dose median); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not otherwise specified; NO(A)EC - No discernible (negative) effect on concentration; NO(A)EL - No discernible (negative) effect on Level; NOELR - No discernible effect on cargo capacity; NZIoC - New Zealand inventory of chemicals; OECD - Organisation for Economic Co-operation and Development OECD; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, bioaccumulative and toxic substance; PICCS - Philippine inventory of chemicals and chemical substances; (Q)SAR - (Quantitative) structure-activity relationships; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH); RID - Regulations concerning the International Carriage of Dangerous Goods by Rail (RID); SADT - Self-accelerating decomposition temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwanese Inventory of Chemical Substances; TECL - Inventory of Chemical Substances Existing in Thailand; TRGS - Technical Regulation on Hazardous Substances; TSCA - Toxic Substances Control Act (USA); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Further information

Training advice:  
Provide proper information, instruction and training for users.

## Reference documents:

Regulation (EC) No 1272/2008 on classification, labelling and packaging (CLP) of substances and mixtures.  
Regulation (EC) No 1907/2006 (REACH), as amended by 2020/878/EU.  
Transport of dangerous goods by road, rail or inland waterways (ADR/RID/ADN).  
International Maritime Dangerous Goods Code (IMDG).  
Dangerous Goods Regulations (DGR) for aviation (IATA).

## Classification procedure

Physical and chemical properties.  
The classification is based on the results of the tested mixtures.  
Health hazards.  
Environmental hazards.  
The method of classification of mixtures based on the components of the mixture (sum formula).

# SAFETY DATA SHEET



According to directive 1907/2006/EC,  
Version 3.0                      Review date: 22-01-2025  
Trade name: Metal patina Rust on iron part A

Page 18 of 18  
Print date: 4-3-2025

## **Rejection of liability**

This information is based on the current state of our knowledge. This safety data sheet has been compiled and is exclusively intended for this product.